



Trillium HOA Approved Mailbox and Mounting Post

Pictured above are the HOA approved mailbox and mounting post. The management company maintains a limited stock of mailboxes and mounting posts for purchase by homeowners. The mailbox and mounting post can be purchased as a set or separately as needed. The items are also available at The Home Depot (in the store and online).

Links to the mailbox and mounting post product pages on The Home Depot website:

- [1812 Architectural Plastic Mailbox in Black - N1027183](#)
- [Callaway Adjustable Mailbox Post in Black - CP000B00](#)

Mailbox Information

- Brochure
- Instructions

Mounting Post Information

- Brochure
- Instructions

Postal Products Unlimited

1812 Architectural Plastic Mailbox in Black

Product Overview

The Postal Products Unlimited 1812 Architectural Plastic Black Mailbox is an attractive, decorative mailbox featuring a large-capacity, weather-proof design for maximum leak protection. Its sturdy polyethylene construction with a UV-resistant polymer blend helps keeps the color from fading.

- Single black plastic mailbox with red flag and attractive design
- Polyethylene construction is UV resistant, weather proof and leak-proof
- Large capacity with detailed roof and decorative door

Specifications

Dimensions

Assembled Depth: 22 in

Assembled Height: 15 in

Assembled Width: 9.5 in

Details

Access Type: Front Only

Assembly Required: Yes

Color: Black

Color Family: Blacks

Features: Leak Protected

Hardware Finish Family: Black

Included: Mailbox

Mailbox Capacity: 500 cu. In.

Mailbox Size: Medium

Mailbox Style: C1

Warranty / Certifications

Manufacturer Warranty: 1 Year

U.S. Postmaster General Approved: Yes






Congratulations on Your Purchase of an 1812 Series Mailbox

The following hardware has been included for:

1. Easy installation of your mailbox to a post using our Universal Mounting Bracket (included)
2. Attachment of Flag to your mailbox

Please take a minute to verify the following components have been included in your assembly hardware kit:

- (4) 1/4 - 20 x 1.25" Phillips Bolts (a)
- (4) 1/4 - 20 Flange Nuts (b)
- (4) #8 x 1" Phillips Screws (c)
- (1) 1/4 - 20 x 1" Phillips Bolt (d)
- (1) Universal Mounting Bracket (e)
- (1) Red Mailbox Flag (f)
- (1) Plastic Flag Holder (g)
- Installation and Assembly Instructions



Tools required for assembly (not included):

- Phillips Screw Driver

If you are missing any components from your assembly hardware kit, please contact customer service at 1-800-229-4500.

Nota de Instalación del Servicio Postal de Los Estados Unidos:

CLIENTES SON REQUERIDOS EN CONTACTAR LA OFICINA DE SU LOCALIDAD ANTES DE INSTALAR SU BUZÓN PARA ASEGURARSE DE HACERLO EN EL LUGAR Y ALTURA CORRECTA. NORMALMENTE LOS BUZONES SON INSTALADOS A UNA ALTURA ENTRE 41" Y 45" PULGADAS DESDE LA SUPERFICIE DEL PISO HASTA NIVEL DE ENTRADA DE SU CORRESPONDENCIA Y SON UBICADOS ENTRE 6" Y 8" PULGADAS DE LA ORILLA DEL CAMINO A LA PUERTA DEL BUZÓN.

El producto no es libre de mantenimiento

En cuanto a los productos de acero basada en: Grietas en la pintura, la sal, la sal del camino, y el exceso de rayos UV puede causar corrosión o deterioro de los tubos, rollos, soportes u otros elementos.

Componentes una mayor vida útil están disponibles (acero inoxidable), pero son una compra por separado. Sin embargo, el sol, el clima, los productos químicos por carretera, etc, todavía afectan adversley plástico, acabado y materiales de los componentes de mayor duración.

Es responsabilidad del purchaser de verificar regularmente el sistema de buzón para el deterioro de los componentes, hardware acabados. Tratar de productos o reemplazar los componentes de inmediato al darse cuenta de deterioro o daño. Todos los componentes están disponibles para la venta directa de fábrica o del distribuidor autorizado.

Las superficies con corrosión puede ser tratada con pintura la inhibición de la oxidación. La corrosión se debe quitar con lana de acero y la superficie tratada antes de pintar.

Vuelva a colocar el hardware al terminar se deteriora. Hardware puede ser tratado con un spray de silicona o lubricante para combatir los problemas corrosion. Componentes de hardware y que no se sustituyen cuando el deterioro se produce puede causar decoloración oxidational adicionales de otros componentes.

Uno Año Limite de Garantia

ICM CORPORATION Garantiza su Buzón contra defectos de fabricacion por un periodo de 1 año a partir de la fecha de compra.

En caso de que su Buzón sufra algún desperfecto por defecto de fabricacion, dentro del periodo de 1 años a partir de la fecha de compra, la compañía reparará o reemplazará su Buzón dentro de 45 días de recibir su notificacion. Todo esto a discrecion de la compañía.

El Buzón y recibo de compra tendrá que ser enviado a ICM Corporation, 500 West Oklahoma Avenue, Milwaukee, WI 53207, describiendo claramente el defecto.

Esta garantia cubre unicamente defectos originados solamente durante el uso correcto de su Buzón dentro de los 1 año a partir de la fecha original de su compra.

1812 Mailbox Installation Instructions

For Top Mount Installation



Locate:

- Universal Mounting Bracket
- (4) 1/4 - 20 x 1.25"L Phillips Bolts
- (4) 1/4 - 20 x Flange Nuts
- (4) #8 x 1" Phillips Screws



Fasten Universal Mounting Bracket to post with (4) #8 x 1" Phillips Screws.



Align pre-drilled holes in bottom of mailbox with matching 4 holes in Universal Mounting Bracket.

Complete installation by inserting (4) 1/4 - 20 x 1.25"L Phillips Bolts through 4 pre-drilled holes inside mailbox and matching 4 holes in Universal Mounting Bracket. Using the (4) Flange Nuts securely tighten bolts and mailbox to Universal Mounting Bracket.

For Cross Arm Installation



Locate:

- Universal Mounting Bracket
- (4) 1/4 - 20 x 1.25"L Phillips Bolts
- (4) 1/4 - 20 x Flange Nuts
- (4) #8 x 1" Phillips Screws




Fasten Universal Mounting Bracket to post with (4) #8 x 1" Phillips Screws.




Align pre-drilled holes in bottom of mailbox with matching 4 holes in Universal Mounting Bracket.

Complete installation by inserting (4) 1/4 - 20 x 1.25"L Phillips Bolts through 4 pre-drilled holes inside mailbox and matching 4 holes in Universal Mounting Bracket. Using the (4) Flange Nuts securely tighten bolts and mailbox to Universal Mounting Bracket.

Instrucciones Para Ensamblar La Bandera



1. Inserte la Bandera dentro de la ranura del Sosten de Plastico.




2. Con la Bandera apuntando hacia arriba ensamble correctamente el Sosten de Plastico de la Bandera en los (3) agujeros del area de montaje a un lado del buzón.
3. Coloque el tornillo de cruz $\frac{1}{4}$ x 20 para sujetar la Bandera de forma correcta.




4. Atornille la Bandera y Ranura del Sosten de Plastico usando, $\frac{1}{4}$ 20 x 1.25 tornillos de cruz. No apriete demasiado ya que esto dificulta el libre movimiento de la Bandera.

Mailbox Flag Assembly Instructions



1. Insert the Flag into the slot of the Plastic Flag Holder.



2. With the Flag pointing up, align the three prongs on the Plastic Flag Holder with the three holes on the flag mounting area on the mailbox.
3. Align the hole in the Flag with the $\frac{1}{4}$ - 20 threaded insert located on the side of the mailbox.



4. Fasten the Flag and Plastic Flag Holder in place using the $\frac{1}{4}$ - 20 x 1"L Phillips Bolt. Do not over tighten bolt as it will inhibit the movement of the flag.

Instrucciones para Instalar su Buzón 1812

Instalación para el Montaje



Localice lo Siguiente:

- Placa Universal de Montaje
- (4) 1/4 - 20 x 1.25 Tornillos de Cruz
- (4) 1/4 - 20 Tuercas
- (4) #8 x 1" Tornillos de Cruz



Fijar Montaje de la Placa Universal al poste con (4) #8 x 1" Tornillos de Cruz.




Complete la instalación atornillando la caja al poste usando los (4) tornillos 1/4 - 20 x 1.25" en los agujeros previamente hechos dentro de la caja y que coincidan con los (4) agujeros de la placa universal use las (4) tuercas y apriete fuertemente para que el Buzón quede firmemente sujetado a la Placa Universal.

Instalación en el Brazo de la Cruz



Localice lo Siguiente:

- Placa Universal de Montaje
- (4) 1/4 - 20 x 1.25 Tornillos de Cruz
- (4) 1/4 - 20 Tuercas
- (4) #8 x 1" Tornillos de Cruz



Fijar Montaje de la Placa Universal al poste con (4) #8 x 1" Tornillos de Cruz.



Complete la instalación atornillando la caja al poste usando los (4) tornillos 1/4 - 20 x 1.25" en los agujeros previamente hechos dentro de la caja y que coincidan con los (4) agujeros de la placa universal use las (4) tuercas y apriete fuertemente para que el Buzón quede firmemente sujetado a la Placa Universal.

United States Postal Service Installation Notice:

CUSTOMERS ARE REQUIRED TO CONTACT THE LOCAL POST OFFICE BEFORE INSTALLING A MAILBOX TO ENSURE IT'S CORRECT PLACEMENT AND HEIGHT AT THE STREET. GENERALLY, MAILBOXES ARE INSTALLED AT A HEIGHT OF 41"-45" FROM THE ROAD SURFACE TO INSIDE FLOOR OF THE MAILBOX OR POINT OF MAIL ENTRY (LOCKED DESIGNS) AND ARE SET BACK 6"-8" FROM THE FRONT FACE OF CURB OR ROAD EDGE TO THE MAILBOX DOOR.

MAINTENANCE:

Product is not maintenance free.

Regarding steel-based product: Cracks in the paint, salt spray, road salt, and excessive UV rays could cause corrosion or deterioration of tubes, scrolls, brackets, etc.

Extended life components are available (stainless steel), but are a separate purchase. However, sun, weather, road chemicals etc, still adversely affect plastic, finish, and materials of extended life components.

It is the purchaser's responsibility to regularly inspect the mailbox system for deterioration of components, finishes or hardware. Treat product or replace components immediately upon noticing deterioration or damage. All components are available for sale directly from factory or authorized distributor.

Surfaces with corrosion can be treated with rust inhibiting paint. Corrosion should be removed with steel wool and surface treated before painting.

Replace hardware when finish deteriorates. Hardware can be treated with silicone spray or lubricant to combat corrosion issues. Hardware and components that are not replaced when deterioration occurs can cause additional oxidational discoloration of other components.

One Year Limited Warranty

ICM CORPORATION warrants that this mailbox will be free of manufacturer defects for a period of 1 year from date of purchase.

In the event that this mailbox becomes defective within such one year period, the manufacturer, at it's discretion, will arrange for replacement or repair of the mailbox within 45 days of receipt of the defective mailbox and proof that the mailbox was purchased within the one year period.

The mailbox and proof of purchase should be sent to ICM Corporation, 500 West Oklahoma Avenue, Milwaukee, WI 53207, and should describe the nature and extent of the defect.

This warranty is limited to manufacture defects which make the product unusable as a mailbox within 1 year of it's original date of purchase.




Felicidades por su Compra del Buzón 1812 Serie!

Lo siguiente ha sido incluido para su Buzón:

1. Instalación fácil de su buzón en el poste usando el Soporte de Montaje.
2. Lo necesario para poner la bandera en su Buzón.

Por favor tome unos minutos para verificar que lo siguiente ha sido incluido en su paquete:

- (4) 1/4 - 20 x 1.25" Tornillos de Cruz (a)
- (4) 1/4 - 20 Tuercas (b)
- (4) #8 x 1" Tornillos de Cruz (c)
- (1) 1/4 - 20 x 1" Tornillo (d)
- (1) Soporte de Montaje Universal (e)
- (1) Bandera roja para el Buzón (f)
- (1) Sosten de plástico para la bandera (g)
- Instrucciones del ensamble.



Herramientas requeridas para el ensamble (no están incluidas):

- Destornillador de cruz

Si le hace falta cualquiera de estos componentes para el ensamble de su Buzón, por favor llamar al servicio al cliente al 1-800-229-4500.

Gibraltar Mailboxes

Callaway Adjustable Mailbox Post in Black

Product Overview

The Callaway Adjustable Mailbox Post offers a timeless, classic design for every home. Designed with quality aluminum material and a steel base plate, this post offers durability and strength that are built to last. Outside elements are no match for its beautifully crafted powder coat finish and the pedestal style adds attractive details. This patent pending post offers versatility, and can be installed by anchoring to a 4 x 4 in. ground post (not included) or by bolting to a concrete pad for extra stability. The post is fully adjustable to reach heights between 33 in. to 41 in. tall, and the cast aluminum mounts can also be adjusted to align parallel or perpendicular to each other. The Callaway includes all mounting hardware and accommodates medium to extra-large size mailboxes to fit your needs.

- Supports medium to extra-large size mailboxes
- Powder coated finish provides extended longevity and protection against rust
- Height adjustability offers versatility and customization
- Mounting and installation hardware is included for easy setup
- Aluminum and cast aluminum construction exhibit strength and durability
- Designed for installation on existing concrete pad or over a 4 x 4 post (sold separately)
- Engineered to support up to 120 lbs. evenly distributed
- Match with any Gibraltar post-mount mailbox with the designation letter codes A, B, C, or D

Specifications

Dimensions

Product Depth: 13.59 in

Product Height: 41 in

Product Width: 9.84 in

Details

Accessory Type: Posts

Color: Black

Features: Corrosion Resistant, Decorative, Fade Resistant

Included: Assembly Hardware, Base, Mounting Hardware, Post, Stand

Post Installation Type: Fits Over 4x4, Pedestal

Gibraltar Mailboxes Callaway Adjustable Mailbox Post in Black-CP000B00 - The Home Depot

Model # CP000B00 Internet #300200044

Post Material: Aluminum

Product Weight: 12.4 lb

Returnable: 90-Day

Weight Capacity 120 lb

Warranty / Certifications

Manufacturer Warranty: 90 Day Warranty



USE AND CARE INSTRUCTIONS

GIBRALTAR MAILBOXES

Proper Care and Maintenance:

Your mailbox or mailbox accessory will require maintenance to keep its appearance and to extend its useful life. Follow manufacturer's assembly and installation instructions for your specific product to ensure warranty coverage and proper use of your product. Failure to follow instruction will void warranty. The frequency and amount of maintenance is dependent upon the type of weather elements your product is exposed to, the type of finish on your product, and the type of material your product is constructed from. If your product begins to look dirty or weathered, clean the surface by gently rinsing and removing build up with mild soap and water. Please follow the below care and maintenance guidelines and refer to your product's instruction sheet(s) for additional use and care guidelines specific to your product.

Brass Finish

Most mailboxes feature an aluminum handle, latch, flag, and flag components. Some mailboxes and mailbox accessories feature additional brass finished components, as noted in the product description. The coating will tarnish over time, if not maintained. It is important that proper maintenance is performed periodically, as needed, by cleaning the surface and applying a coat of high quality car wax. You may also apply a lacquer finish to keep the finish looking new. Addition of paints or finishes is not warranted.

Steel/Paint Finish – Rust Resistant Powder Coat Paint

Our mailboxes are protected by rust resistant powder coat paint. With a minimum amount of maintenance, your mailbox can look like new for a long period of time. Like any outdoor product made of steel, surface rust may appear over time depending on its placement or environmental conditions. Wipe any surface rust with a steel wool pad and clean with a damp cloth and household detergent occasionally. Coat your mailbox with a high quality car wax and your mailbox will retain its finish. If necessary, touch up paint may be required to maintain the mailbox and extend its useful life. Addition of paints or finishes is not warranted.

Wood - Cedar

Our wooden mailbox products are made of cedar. Cedar requires little to no maintenance, due to its inherent properties that make it resistant to rot, decay, and insects. Natural aging for cedar will occur over time and will differ dependent upon climate. Treatments, paints, stains, and finishes will alter cedar's natural aging process and you should refer to care instructions provided with the specific treatment used for further use and care guidelines. Addition of paints or finishes is not warranted.

Polymer/Plastic

Mailboxes and accessories made from polymer or plastic are low maintenance products. Clean product with mild soap and water to remove dirt and build up.

Post Installation

Warning: Check for underground pipes or cables before installing anchor or post.

United States Postal Service Regulations:

Postal patrons are required to contact the local post office before installing the mailbox to ensure its correct placement and height from the street. Generally, mailboxes are installed at a height of 41-45 inches from the road surface to inside floor of the mailbox and are set back 6-8 inches from the front face of curb or road edge to the mailbox door. It is important to note that it is not the responsibility of mail carriers to open mailboxes that are locked, accept keys for this purpose, or lock mailboxes after delivery of the mail. For further assistance, please contact your local U.S. Postal Service facility or carrier.

Customer Service:

Customers should not contact their place of purchase. For customer service regarding warranty or assembly of product, please call 1.800.647.7063 for immediate assistance.

